

Factorial and discriminant analysis as methodological basis of pedagogic control over motor and functional fitness of 14–16 year old girls

OLGA IVASHCHENKO¹, OLEG KHUDOLII², TETIANA YERMAKOVA³, SERGII IERMAKOV⁴, MYKOLA NOSKO⁵, YULIYA NOSKO⁶

^{1,2,3}H.S. Skovoroda Kharkiv National Pedagogical University, UKRAINE

⁴Kazimierz Wielki University in Bydgoszcz, POLAND

^{5,6}Chernigiv National T.G. Shevchenko Pedagogical University, UKRAINE

Published online: June 25, 2016

(Accepted for publication May 15, 2016)

DOI:10.7752/jpes.2016.02068

Abstract

The purpose of the research: to determine methodological approaches to pedagogic control over 14–16 years' age girls' motor and functional fitness. *Material and methods:* in the research girls of 14 years' age (n=31), 15 years' age (n= 26), 16 years' age (n= 28) participated. For determination of informative indicators of pedagogic control over girls' motor and functional fitness we carried out factorial and discriminant analysis. *Results:* It was noted, that it was necessary to conduct factorial and functional analysis of children's and adolescents' motor fitness. Factorial and discriminant model of dynamic of girls' motor and functional fitness is the basis for optimization of pedagogic control at physical culture lessons in schools. In factorial model of 14 years' age girls' motor and functional fitness the place of priority is taken by functional fitness of respiratory and cardio-vascular systems; coordination and power fitness; speed-power fitness. For 15 years' age girls' motor and functional fitness the place of priority is taken by functional fitness of respiratory and cardio-vascular systems; coordination and power fitness; differentiation of space motor characteristics. For 16 years' age girls' motor and functional fitness the place of priority is taken by functional fitness of respiratory and cardio-vascular systems; power fitness; power endurance. *Conclusions:* for final pedagogic control over 14–16 years' age girls' motor and functional fitness first discriminant function with accent on the most informative variables can be used.

Key words: pedagogic control; girls; functional fitness; coordination fitness; motor abilities.

Introduction

Reduction of schoolchildren's motor functioning, low their organism's resistance to morbidity force to solve problems on effectiveness of physical education system in schools (Krucevich, 2012; Tkachenko, 2014; Krucevich & Ishchenko, 2015). Results of researches show that motor functioning is one of the most powerful means for ensuring of general and targeted development of organism's functions and systems (Baltsevych, 2000; Ilyin, 2003; Krutsevych & Bezverkhnya, 2010; Krucevich & Pangelova, 2014). In conditions of radical restructuring of physical education in educational system one of factors of pupils' motor functioning's intensification is organization of pedagogic control at physical culture lessons (Khudolii, 2008; Samokish, 2010; Rafal, 2013; Khudolii & Ivashchenko, 2014) and in conditions of sports training (Artemenko, 2009; Khudolii & Iermakov, 2011; Liu, 2015; Ivashchenko et al., 2015a; Podrigalo, Iermakov, Galashko, Galashko, & Dzhym, 2015). Pedagogic control procedure implies classification of motor and functional fitness current state, which influence on taking of decisions in control over children's and adolescents' physical education. So classification of motor fitness is of practical importance for taking decisions in control over physical education and in working out effective programs of children's and adolescents' physical education.

In researches of different scientists (Lopat'yev, 2007; Iermakov, Adashevskiy, & Sivolap, 2010; Adashevskiy, Iermakov, & Firsova, 2013; Arefiev, 2014; Podrigalo, Iermakov, Nosko, Galashko, & Galashko, 2015) conceptual approaches to simulation of training process and development of motor abilities in physical education and sports were worked out. The authors regard models of motor abilities' training, which can be used for current and final control of children's and adolescents' fitness. By the data of different authors (Ivashchenko, Yermakova, Cieslicka, & Zukowska, 2015; Ivashchenko, Yermakova, Cieslicka, & Muszkieta, 2015; Khudolii, Iermakov, & Ananchenko, 2015; Khudolii, Iermakov, & Prusik, 2015) current control over children's and adolescents' motor fitness can be fulfilled on the base of multi-dimensional methods and models.

Numerous testing of 14–16 years' age girls permitted to determine specific features of fencing training ((Kabanova, 2007), race walking (Prusik, Prusik, Iermakov, & Kozina, 2012; Iermakov, Cieslicka, & Muszkieta, 2015; Tuisheva & Ivanenko, 2015), tennis (Jagiello & Jagiello, 2015), boxing (Aslaev & Kotova, 2015), swimming (Isaev, Erlich, Nenasheva, Shepilov, & Romanova, 2014; Rovnaya, Podrigalo, Iermakov, Prusik, &

Cieślicka, 2014). Authors note that at all stages of training proper control with the help of tests is an integral part of junior sportsmen many years training. It permits to more effectively perfect components of junior sportsmen physical, technical and psychological training.

Physical exercises' practicing by 14–16 years' age girls requires consideration their physiological characteristics (Piatunina & Gajnanova, 2006; Leer & Zvereva, 2013; Kozina, Iermakov, Kuzmin, Kudryavtsev, & Galimov, 2016), hemo-dynamic types (Sokolov & Grechkina, 2008; Levushkin & Son'kin, 2009), environment (Prusik, Prusik, Kozina, & Iermakov, 2013; Mamaev & Ivanova, 2014).

In such cases it is necessary to base on objective metric information. Such information can be received in researches, which involve wide contingent of the tested. With it participants of experiment shall demonstrate stable concentration of attention and highly reliable results in series of repeated measurements (Zaporozhanov, 2013; Zaporozhanov, & Boraczynski, 2015; Zaporozhanov, Borachinski, & Nosko, 2015; Iermakov, Arziutov, & Jagiełło, 2016). In general, such approaches facilitate rising of effectiveness of pedagogic control over pupils' physical fitness. Application of well-substantiated methodic in school practice reduces influence of negative factors on adolescents' health.

In our previous researches we substantiated and improved system of pedagogic control over children's and adolescents' motor fitness. We stressed on possibility of classification of 14–16 years' age boys age distinctions on the base of functional and power fitness testing (Ivashchenko et al., 2015b). The offered by us methodic of summarizing motor and functional fitness control of 14–16 years' age schoolchildren (Ivashchenko et al., 2015a) and 17–18 years' age boys (Ivashchenko et al., 2015c) permitted to find the most informative variables, which influence on quality of learning. Alongside with it, classification of pupils by level of motor fitness according to their age permitted to confidently determine adequacy of the applied tests (Khudolii et al., 2015a, 2015b).

However, in available scientific literature insufficient attention is paid to application of simulation method for improvement of pedagogic control over motor and functional fitness of children and adolescents.

The purpose of the research is to determine methodological approaches to pedagogic control over 14–16 years' age girls' motor and functional fitness.

Material & methods

In the research girls of 14 years' age (n=31), 15 years' age (n= 26), 16 years' age (n= 28) participated.

Testing program included well-known tests: jumps with “additions” (quantity of jumps in pre-set corridor); shuttle run 4x9 m (sec.), Pressing ups in lying position (times), chin ups (times), hanging on bent arms (sec.), long jump from the spot (cm) (Khudolii & Ivashchenko, 2011; Khudolii, Ivashchenko, & Karpunets', 2012).

For assessment of functional state we used tests of Shtange, Genchy and Serkin (Dubrovskij, 2005).

Statistical analysis

Materials of the research were processed with program of statistical analysis – IBM SPSS 20. We fulfilled factorial and discriminant analysis. In factorial analysis we used model of principle components with rotation method: Varimax with Keiser's normalization. For every variable the following statistics were calculated: mean values, standard deviations, Student's t-criterion for independent samples.

In the process of discriminant analysis we created prognostic model for belonging to group. This model builds discriminant function (if there are more than two groups, the model builds a set of discriminant functions) in the form of linear combination of predictory variables. It ensures the best distribution of groups. These functions are built by a set of observations' results, for which their belonging to group is known. In the future, these functions can be used in new observations with known values of predictory variables and unknown group belonging.

For every variable the following statistics were calculated: mean values, standard deviations, univariate analysis of variance for every variable (Box's M test, intra-group correlation matrix, intra-group co-variance matrix, co-variance matrixes for separate groups, general co-variance matrix). For every canonic discriminant function we calculated the following: own value, percentage of variance, canonic correlation, Wilks' Lambda, Chi-square and for every step – apriory probabilities, coefficients of Fisher's function, non standartized coefficients of functions, Wilks' Lambda for every canonic function.

The research was conducted in compliance with WMA Declaration of Helsinki – Ethical Principles for Medical Research Involving Human Subjects, 2013. The study protocol was approved by the Ethical Committee of H.S. Skovoroda Kharkiv National Pedagogical University.

Results

Analysis of testing results showed that positive statistically confident dynamic was observed in 14–15 years' age girls in tests: № 2 (Suttle run 4x9 m, sec.), № 3 (Pressing ups in lying positions, times), № 4 (Chin ups, times), № 6 (Long jump from the spot, cm). Steady, statistically confident dynamic of testing results was observed in 14–16 years' age girls in functional tests. 16 years' age girls were assessed as health and trained. With age we observed statistically confident worsening of differentiation of motor space characteristics (test № 1 “Jumps with “additions”, times”).

For determination of functional and motor fitness structure of 14 years' age girls we conducted factorial analysis by 9 testing indicators. Results of analysis are given in table 1.

In the process of analysis we marked out four factors, which explain 72.364% of indicators' total variance (see table 1).

Table 1. Factorial model of motor and functional fitness of 14 years' age (n=31), 15 years' age (n=26) and 16 years' age (n=28) girls. Method of rotation is: Varimax with Keiser's normalization

№	Description of test	Age, years	Components				h ²
			1	2	3	4	
1	Jumps with additions, times	14	-.375		-.612	.358	.656
		15		.395	.876		.928
		16					.887
2	Shuttle run 4x9 m, sec.	14		.889			.833
		15	-.720		-.493		.905
		16					.798
3	Pressing ups in lying position, times	14		-.797		-.333	.762
		15	.900				.904
		16					.945
4	Chin ups, times	14	-.813		.306		.734
		15	.908				.862
		16					.910
5	Hanging on bent arms, sec.	14				.813	.691
		15	.911				.890
		16					.900
6	Long jump from the spot, cm.	14			.671		.522
		15	.909				.967
		16					.921
7	Shtange's test, sec.	14			.701		.647
		15		.405		.877	.964
		16					.959
8	Genchy's test, sec.	14	.799			.403	.814
		15		.942			.927
		16					.938
9	Serkin's test, sec.	14	.862			.326	.854
		15		.753	.404		.814
		16					.959
Total explained variance, %		14	26.076	16.209	15.060	15.019	72.364
		15	42.745	21.521	15.336	11.076	90.678
		16	29.058	24.576	21.926	15.747	91.307

Factor 1 is the most informative (26.076%). This factor correlates with results of Genchy's and Serkin's functional tests and was named "functional fitness of respiratory and cardio-vascular systems".

Factor 2 (information value 16.209 %) correlates to the largest extent with indicators of coordination and power fitness: "Pressing ups in lying position (-.797) and "Shuttle run 4x9 m" (.889). The factor is bipolar: improvement of the mentioned indicators worsens this factor. It points at complex relations between development of strength and motor coordination in 14 years' age girls. The factor was named coordination and actually power fitness.

Factor 3 (information value 15.060%) correlates to the largest extent with indicators of speed-power fitness and differentiation of space motor characteristics: "Long jump from the spot" (.671) and "Jumps with additions" (-.612). Increase of jumps' results strengthens the factor. It was named speed-power fitness.

Factor 4 (information value 15.019%) correlates to the largest extent with indicators of static power fitness: "Hanging on bent arms" (.813). The factor was named "power endurance".

Thus, in factorial structure of 14 years' age girls' fitness the place of priority is taken by functional, coordination and power fitness.

Analysis of communities showed that the offered battery of tests is rather informative (see table 2). For 14 years' age girls the most informative indicators were: "Serkin's test" (0.854), "Shuttle run 4x9 m" (0.833), "Genchy's test" (.814), "Pressing ups in lying position" (.762).

For determination of functional and motor fitness structure of 15 years' age girls we conducted factorial analysis by 9 testing indicators. Results of analysis are given in tables 2, 3 and 4.

In the process of analysis we marked out four factors, which explain 90.678% of indicators' total variance (see table 2).

Factor 1 is the most informative (42.745%). This factor correlates with tests, characterizing actual power fitness, power endurance and speed-power fitness of 15 years' age girls. The factor was named coordination and power fitness.

Factor 2 (information value 21.521 %) correlates to the largest extent with indicators of functional fitness of respiratory and cardio-vascular systems: "Genchy's test (.942) and "Serkin's test" (.753). The factor was named functional readiness of respiratory and cardio-vascular systems.

Factor 3 (information value 15.336%) correlates to the largest extent with indicators of motor coordination “Jumps with additions” (.876). It was named “ability for differentiation of space motor characteristics”. Factor 4 (information value 11.076%) correlates to the largest extent with indicators of “Shtange’s test” (.877). This factor supplements the second factor.

Thus, in factorial structure of 15 years’ age girls’ fitness the place of priority is taken by functional, coordination and power fitness. Analysis of communities showed that the offered battery of tests is rather informative (see table 2). For 15 years’ age girls the most informative indicators were: “Hanging on bent arms” (.967), “Jumps with additions” (.964), “Serkin’s test” (0.928), “Shtange’s test” (.927).

For determination of functional and motor fitness structure of 16 years’ age girls we conducted factorial analysis by 9 testing indicators. Results of analysis are given in tables 1 – 4.

In the process of analysis we marked out four factors, which explain 91.307% of indicators’ total variance (see table 2). Factor 1 is the most informative (29.058%). This factor correlates with functional tests (Genchy’s and Serkin’s). The factor was named functional fitness of respiratory and cardio-vascular systems.

Factor 2 (information value 24.576 %) correlates to the largest extent with indicators: “Pressing ups in lying position” (.952) and “Chin ups” (.850). The factor was named power fitness.

Factor 3 (information value 21.926%) correlates to the largest extent with indicators of static power and was named power endurance. Factor 4 (information value 15.747%) correlates to the largest extent with indicators “Shtange’s test” (.948). This factor supplements the first factor.

Thus, in factorial structure of 16 years’ age girls’ fitness the place of priority is taken by functional, coordination and power fitness. Analysis of communities showed that the offered battery of tests is rather informative (see table 2–4). For 16 years’ age girls the most informative indicators were: “Long jump from the spot” (.959), “Jumps with additions” (.959), “Genchy’s test” (0.945), “Shtange’s test” (.938).

To specify possibilities of motor and functional fitness assessment in 14–16 years’ age girls we carried out discriminant analysis (see tables 2–4). The first canonic function explains results’ variation by 86.8 %, the second – by 13.2 % that witness about their high information potential. Check up of functions points at statistical significance for all set even after deduction of the first function ($p < 0.001$; $\lambda_{12} = 0.029$; $\lambda_2 = 0.365$).

Table 2. Canonic discriminant function. Own values

Function	Own values	% of explained variance	Cumulative %	Canonic correlation
1	11.447	86.8	86.8	.959
2	1.736	13.2	100.0	.797

In table 3 we render normalized coefficients of canonic discriminant function, which permit to determine correlations of variables’ contribution into function result. The highest contribution in function 1 is provided by variables of tests №2, №1 and №6: the higher are the values of these variables the higher is the value of function. The highest contribution in canonic function 2 is provided by variables of tests №5, №4 and №8: the higher are the values of these variables the higher is the value of function. First function explains results’ variation by 86.8% ($p < 0.001$), second – by 13.2% ($p < 0.001$). The above said witnesses that it is possible to classify age distinctions of 14–16 years’ age girls on the base of functional and motor fitness testing.

Table 3. Results of discriminant analysis of 14–16 years’ age girls’ functional and motor fitness

№ of test (variables)	Description of test	Normalized coefficients		Structural coefficients		Coefficients of functions for classification of girls age		
		Function 1	2	Function 1	2	14	15	16
1	Jumps with “additions”, times	.420	.354	.306*	.001	9.618	5.922	6.249
2	Shuttle run 4×9 m, sec.	.697	.453	.514*	.334	60.009	51.143	51.224
3	Pressing ups in lying positions, times	.311	.557	-.177*	.071	2.945	2.452	2.638
4	Chin ups, times	.324	-1.046	.079	-.191*	-4.892	-4.591	-6.787
5	Hanging on bent arms, sec.	-.006	.988	-.125	.503*	-.121	-.367	-.019
6	Long jumps from the spot, cm.	-.837	.136	-.465*	.205	1.522	1.941	2.138
7	Shtange’s test, sec.	-.342	-.116	-.310*	-.072	.626	.801	.826
8	Genchy’s test, sec.	-.370	.658	-.265*	.115	.375	.442	.754
9	Serkin’s test, sec.			-.214*	.086			
	(Constant)					-573.744	-516.379	-567.189

In table 3 structural coefficients of first canonic discriminant function are given, which are correlation coefficients of variables and with function. For example, function is connected with variables to the largest extent in tests № 2, 6, 7 and 1; so substantial difference between girls of 14 and 15–16 years’ age is observed in motor coordination, speed-power and results of Shtange’s test. Structural coefficients of second canonic

discriminant function point at the fact that this function to the largest extent is connected with variables of tests № 5 and 4. So substantial difference between girls of 15 and 16 years' age is observed in static and relative strength of arms' muscles.

Table 4. Results of groups' classification

<i>Results of groups' classification</i>		<i>Functions in groups' centroids</i>						
	Classifier (age, years)	Predicted belonging to group (age, years)			Age, years	Function		
		14	15	16		1	2	
Final data	14	31	0	0	14	4.260	.406	
	Frequency 15	0	24	2				
	16	0	1	27	15	-1.416	-1.870	
	14	100.0	.0	0				
	%	15	.0	92.3	7.7	16	-3.401	1.287
		16	.0	3.6	96.4			

In table 4 we give results of groups' classification: 96.5% of final grouped observations were classified correctly. Thus, canonic discriminant function can be used for classification of age peculiarities of 14–15 years' age girls' functional and motor fitness. In table 3 we also present centroids' coordinates for three groups. They permit to interpret canonic function in respect to its role in classification. On positive pole there is centroid for 14 years' age girls. On opposite pole there are centroids for 15 and 16 years' age girls. It witnesses about substantial difference in fitness of 14–16 years' age girls.

Graphic material (see fig.1) witnesses about density of objects inside every class and distinct border between classes. It permits to say that classification of 14–16 years' age girls is possible with the offered battery of tests. In table 2 we give coefficients of functions for classification of 14–16 years' age girls by level of their functional and motor fitness.




Fig. 1. Graphic picture of classification results

Discussion

The received results supplement the data about development of children's and adolescents' motor abilities (Marchenko, 2009; Iermakov, 2010; Khudolii & Titarenko, 2010; Khudolii, et al., 2012; Solianik, 2013), about simulation method's application for obtaining new information (Ivashchenko, 1988; Khudolii & Iermakov, 2011; Adashevskiy, Iermakov, & Marchenko, 2013; Ivashchenko et al., 2015b). In researches on physical education and sports discriminant function is used for classification of pupils by their motivation for sports practicing (Milić, Milavić, & Grgantov, 2014; Cieslicka, Napierala, Stankiewicz, & Iermakov, 2012), by motor functioning (Gert-Jan & Benjamin, 2011; Kozina & Iermakov, 2015), for classification of groups into sportsmen and not sportsmen (Bondarenko, 2011; Lulzim, 2012), for determination of children's physical condition dynamic under influence of special programs (Golenko, Mihuta, & Kuzmin, 2009; du Toit, Pienaar, & Truter, 2011), for final control of children's and adolescents' functional and motor fitness (Vertel & Gradusov, 2011; Ivashchenko et al., 2015c; Khudolii et al., 2015a, 2015b).

Discriminant analysis is a useful tool for determination of physical condition characteristic features (Lalanne, Falissard, Golse, & Vaivre-Douret, 2012). In discriminant analysis body mass index should be regarded as an important element for studying of physical condition's typology (Ko & You, 2015). With the help of discriminant analysis results of distinctions in children's physical fitness, conditioned by level of urbanization,

were received (Ujević, Sporis, Milanović, Pantelić, & Neljak, 2013). The purpose of next research was determination to what extent cognitive tasks on healthy life style and sports practicing facilitated increase of knowledge about cardio-respiratory component of trainings and health. Multi-dimensional discriminant analysis showed that cognitive tasks facilitated increment of knowledge (Zhang et al., 2014). Other authors used battery of 11 tests for motor abilities of 14–15 years' age pupils. They found that rising of motor abilities in that age could be optimally predicted by results of tests for quickness (Milojević & Stanković, 2010).

Application of discriminant analysis also permits the following: to determine changes in morphological characteristics and motor abilities of girls-sportswomen in comparison with their non sport peers (Shabatura, Tkachuk, Fed'ko, & Palinenko, 1987; Pryimakov, 1995; Lulzim, 2012); to distinguish 2 sub-groups of sportsmen-beginners: group with high rates of training and group with lower rates of success (Dercole, Dercole, Gobbi, & Gobbi, 2013). Other authors point at possibility to use discriminant analysis for classification of 5–12 years' age children's motor functioning, depending on its volume with equations of discriminant function. Such approach permits to classify correctly 93% of the grouped data (Broadhead & Church, 1982).

Application of discriminant analysis in our research permitted to find coefficients of discriminant function and, by their values, divide pupils into groups with maximal accuracy. Such approach permitted to solve two groups of problems:

- To answer the question how confidently it is possible to separate one class from the other by a set of the offered variables;
- Which of these variables influence to the largest extent on distinguishing of classes; to classify objects on the base of discriminant function (i.e. to answer: to what class object belongs on the base of discriminant variables' values).

Results of our research point that it is necessary to structurally and functionally analyze children's and adolescents' motor fitness. The carried out by us analysis proves that separation of 14 years' age girls from 15 and 16 years' age girls is possible with the set of the offered variables, accentuated on functional tests and results of speed-power fitness. So, discriminant analysis permitted to answer: how confidently it is possible to separate one class from the other by set of the offered variables; which of these variables influence to the largest extent on distinguishing of classes; to which class object belongs on the base of discriminant variables' values.

The received results supplement results of other authors:

- About demand in structural and functional analysis of children's and adolescents' motor fitness. Besides, these data prove the opinion that factorial model is a basis of pedagogic control over 14–16 years' age girls (Kravchuk & Kurochka, 2013; Ivashchenko et al., 2015c; Khudolii et al., 2015b)
- About high informative potential of Shtange's, Genchy's and Serkin's tests in assessment of pupils' functional state (Solianik, 2013; Veremeienko, 2013)
- About factorial structure of schoolchildren's motor fitness (Ivashchenko & Dudnik, 2011; Kozina & Popova, 2013).

The novelty of our research is that in factorial structure the place of priority is taken by functional, coordination and power fitness of 14–16 years' age girls.

Conclusions

Factorial and discriminant model of motor and functional fitness dynamic of 14, 15 and 16 years' age girls is the basis for optimization of pedagogic control at school physical culture lessons. In factorial model of 14 years' age girls' motor and functional fitness the place of priority is taken by functional fitness of respiratory and cardio-vascular systems; coordination and actually power fitness; by speed-power fitness. In factorial model of 15 years' age girls' motor and functional fitness the place of priority is taken by functional fitness of respiratory and cardio-vascular systems; coordination and power fitness. In factorial model of 16 years' age girls' motor and functional fitness the place of priority is taken by functional fitness of respiratory and cardio-vascular systems; power fitness and power endurance.

For pedagogic control of 14–16 years' age girls' motor and functional fitness the most informative are the following tests:

- For 14 years' age girls: "Serkin's test" (0.854), "Shuttle run 4x9 m" (0.833), "Genchy's test" (.814), "Pressing ups in lying position" (.762);
- For 15 years' age girls: "Hanging on bent arms" (.967), "Jumps with additions" (.964), "Serkin's test" (.928), "Shtange's test" (.927);
- For 16 years' age girls: "Jumps with additions" (.959), "Long jump from the spot" (.959), "Genchy's test" (.945), "Shtange's test" (.938).

Discriminant analysis permitted to solve two groups of problems:

- To answer how confidently it is possible to separate one class from the other by set of the offered variables;
- Which of these variables influence to the largest extent on distinguishing of classes;
- To classify objects on the base of discriminant function (i.e. to answer to which class object belongs on the base of discriminant variables' values).

Results of our research point that it is necessary to practice structural and functional analysis of children's and adolescents' motor fitness. For final pedagogic control of motor and functional fitness of 14–16 years' age girls first discriminant function with accent on the most informative variables can be used.

Acknowledgement

The present research is a part of plan of researches in the field of physical culture and sports of Ukraine in 2013–2015. National registration number: 0113U002102.

References

- Adashevskiy, V.M., Iermakov, S.S., & Firsova, Iu.Iu. (2013). Physical mathematical modelling of difficult elements of acrobatic rock-and-roll. *Physical Education of Students*, 3, 3–10. doi:10.6084/m9.figshare.662463
- Adashevskiy, V.M., Iermakov, S.S., & Marchenko, A.A. (2013). Biomechanics aspects of technique of high jump. *Physical Education of Students*, 2, 11–17. doi:10.6084/M9.Figshare.156374
- Arefiev, V.G. (2014). Modeling of differentiated physical fitness in school children. *Pedagogics, Psychology, Medical-Biological Problems of Physical Training and Sports*, 1, 3–8. doi:10.6084/m9.figshare.894383
- Artemenko, T.G. (2009). The favorable periods of diagnostics of personal features of young basketball players at the age of 10–12 years in connection with selection carrying out at the stage of initial preparation. *Physical Education of Students*, 2, 3–6.
- Aslaev, T.S., & Kotova, N.Iu. (2015). Razvitie koordinacionnykh sposobnostej devushek-bokserov 14–16 let massovykh razriadov posredstvom razvitiia sensomotronoj koordinacii [Development of coordination of 14–16 years' age girls-boxers of mass grades by means of sensor-motor coordination training]. *Sovremennye problemy nauki i obrazovaniia*, 4, 10–14.
- Baltsevych, V.K. (2000). *Ontokineziologiya cheloveka* [Onto kinesiology human], Moscow: Theory and practice of physical culture.
- Bondarenko, I.G. (2011). The determination of the level of student's physical preparation: movement tests and the method of indexes. *Physical Education of Students*, 2, 10–13.
- Broadhead, G.D., & Church, G.E. (1982). Discriminant analysis of gross and fine motor proficiency data. *Perceptual and Motor Skills*, 55(2), 547–552.
- Cieslicka, Mirosława, Napierala, Marek, Stankiewicz, Blazej, & Iermakov, Sergii. (2012). Evaluation of changes somatic features and motor skills of high school students from Kruszwica. *Pedagogics, Psychology, Medical-Biological Problems of Physical Training and Sports*, 11, 125–133. doi:10.6084/m9.figshare.97327
- Dercole, A.A., Dercole, C., Gobbi, M., & Gobbi, F. (2013). Technical, perceptual and motor skills in novice-expert water polo players: an individual discriminant analysis for talent development. *J Strength Cond Res*. 27(12), 3436–3444.
- du Toit, D., Pienaar, A.E., & Truter, L. (2011). Relationship between physical fitness and academic performance in south african children. *South African Journal for Research in Sport, Physical Education and Recreation*, 33(3), 23–35.
- Dubrovskij, V.I. (2005). *Sportivnaja medicina* [Sports medicine], Moscow: Vlados.
- Gert-Jan de Bruijn & Benjamin Gardner. (2011). Active Commuting and Habit Strength: An Interactive and Discriminant Analyses Approach. *American Journal of Health Promotion*, 25(3), 27–36. doi:10.4278/ajhp.090521-QUAN-170
- Golenko, A.S., Mihuta, I.J., & Kuzmin L.I. (2009). Correlation and factorial structure of coordination readiness of young football players of 11–12 and 14–15 years. *Pedagogics, Psychology, Medical-Biological Problems of Physical Training and Sports*, 10, 35–38.
- Iermakov, S.S. (2010). Biomekhanichni modeli udarnykh rukhiv u sportyvnykh ihrakh u konteksti vdoskonalennya tekhnichnoyi pidhotovky sportsmeniv [Bio-mechanical models of striking movements in sports games in context of perfection of sportsmen's technical tactic fitness]. *Teoria ta metodika fizicnogo vihovanna*, 4, 11–18.
- Iermakov, S.S., Adashevskiy, V.M., & Sivolap, O.A. (2010). Theoretical and experimental determination of biomechanics descriptions at run. *Physical Education of Students*, 4, 26 - 29.
- Iermakov, S.S., Arziutov, G.N., & Jagielło, W. (2016). Quick training of students to judo techniques. *Arch Budo*, 12, 15–24.
- Iermakov, S.S., Cieślicka, Mirosława, & Muszkieta, Radosław. (2015). Physical culture in life of Eastern-European region students: modern state and prospects of development. *Physical Education of Students*, 6, 16–30. doi:10.15561/20755279.2015.0603
- Ilyin, P.E. (2003). *Psihomotornaya organizatsiya cheloveka* [Psychomotor organization of human], Sankt Petersburg: Peter.
- Isaev, A.P., Erlikh, V.V., Nenasheva, A.V., Shepilov, A.O., & Romanova, E.V. (2014). Integrativnaia ocenka funkcional'nogo i metabolicheskogo sostoianniia devushek-plovcov 14–16 let v sezonnykh issledovaniiax na pedsorevnovatel'nykh etapakh podgotovki [Integrative assessment of functional and metabolic state of

- 14–16 years' age girls-swimmers in season testing at pre-competition stages of training]. *Vestnik Iuzhno-Ural'skogo gosudarstvennogo universiteta*, 14(1), 34–42.
- Ivashchenko, O.V. (1988). *Standard indicators of training loads at initial stage of training of junior, 6–8 years old girls-gymnasts*. (Doctoral dissertation). Moscow.
- Ivashchenko, O.V., & Dudnik, Z.M. (2011). Vikovi osoblyvosti rozvytku rukhovykh zdibnostey divchat starshykh klasiv [Age characteristics of motor abilities development of senior form girls]. *Teoria ta metodika fizicnogo vihovanna*, 8, 3–5. doi:10.17309/tmfv.2011.8.727
- Ivashchenko, O.V., Khudolii, O.M., Yermakova, T.S., Wiesława, P., Radosław, M., & Błażej, S. (2015). Simulation as method of classification of 7–9th form boy pupils' motor fitness. *Journal of Physical Education and Sport*, 15(1), 142–147. doi:10.7752/jpes.2015.01023
- Ivashchenko, O.V., Yermakova, T.S., Cieslicka, M., & Muszkieta, R. (2015). Discriminant analysis as method of pedagogic control of 9–11 forms girls' functional and motor fitness. *Journal of Physical Education and Sport*, 15(3), 576–581. doi:10.7752/jpes.2015.03086
- Ivashchenko, O.V., Yermakova, T.S., Cieslicka, M., & Zukowska, H. (2015). Discriminant analysis in classification of motor fitness of 9–11 forms' juniors. *Journal of Physical Education and Sport*, 15(2), 238–244. doi:10.7752/jpes.2015.02037
- Jagiello, Marina, & Jagiello, Wladyslaw. (2015). The level of self-esteem in 14–16-year – old female tennis players. *Pedagogics, Psychology, Medical-Biological Problems of Physical Training and Sports*, 11, 78–80. doi:10.15561/18189172.2015.1112
- Kabanova, I.A. (2007). Kriterii tekhniko-takticheskoy podgotovlennosti fekhtoval'shchic na shpagakh 14–16 let na etape uglublennoj podgotovki [Criteria of 14–16 years' age epee fencers' technical-tactic fitness at stage of profound training]. *Fizicheskaia kul'tura: vospitanie, obrazovanie, trenirovka*. 4, 59–62.
- Khudolii, O.M., & Iermakov, S.S. (2011). Regularities of the learning process of young gymnasts. *Teoria ta metodika fizicnogo vihovanna*, 5, 3–18. doi:10.17309/tmfv.2011.5.707
- Khudolii, O.M., & Ivashchenko, O.V. (2014). *Osnovy naukovo-doslidnoyi roboty u fizychnomu vykhovanni i sporti* [Principles of scientific-research work in physical education and sports]. Kharkiv: OVS.
- Khudolii, O.M., & Titarenko, A.A. (2010). Osoblyvosti rozvytku rukhovykh zdibnostey u khlopchykiv molodshoho shkil'noho viku [Peculiarities of motor abilities' development in boys of primary school]. *Teoria ta metodika fizicnogo vihovanna*, 8, 3–12. doi:10.17309/tmfv.2010.8.644
- Khudolii, O.M., Iermakov, S.S., & Ananchenko, K.V. (2015). Factorial model of motor fitness of junior forms' boys. *Journal of Physical Education and Sport*, 15(3), 585–591. doi:10.7752/jpes.2015.03088
- Khudolii, O.M., Iermakov, S.S., & Prusik, K. (2015). Classification of motor fitness of 7–9 years old boys. *Journal of Physical Education and Sport*, 15(2), 245–253. doi:10.7752/jpes.2015.02038
- Khudolii, O.M., Ivashchenko, O.V., & Karpunets' T.V. (2012). Robocha prohrama z pedahohichnoyi praktyky v shkoli [Working program of school pedagogic practice]. *Teoria ta metodika fizicnogo vihovanna*, 9, 19–31. doi:10.17309/tmfv.2012.9.821
- Khudolii, O.M. (2008). Metodyka planuvannya navchal'noyi roboty z himnastyky v shkoli [Methodic of planning of teaching work at school]. *Teoria ta metodika fizicnogo vihovanna*, 9, 19–35. doi:10.17309/tmfv.2008.9.454
- Khudolii, O.M., & Ivashchenko, O.V. (2011). Pedahohichna praktyka v shkoli [Pedagogic practice at school]. *Teoria ta metodika fizicnogo vihovanna*, 9, 19–32. doi:10.17309/tmfv.2011.9.740
- Ko, Y.S., & You, S.E. (2015). Comparisons of physical fitness and body composition among Sasang types with and without body mass index as a covariate. *Integrative Medicine Research*, 4(1), 41–47.
- Kozina, Z.L., & Iermakov S.S. (2015). Analysis of students' nervous system's typological properties, in aspect of response to extreme situation, with the help of multi-dimensional analysis. *Physical Education of Students*, 3, 10–19. doi:10.15561/20755279.2015.0302
- Kozina, Z.L., & Popova, N. (2013). Faktornaia struktura fizicheskoy podgotovlennosti devochek 11–15 let [Factorial structure of physical fitness of 11–15 years' age girls]. *Teoria ta Metodika Fizicnogo Vihovanna*, 4, 48–52.
- Kozina, Z.L., Iermakov, S.S., Kuzmin, V.A., Kudryavtsev, M.D., & Galimov, G.J. (2016). Change of cortisol and insulin content in blood under influence of special workability recreation system for students with high motor functioning level. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 7(2), 1068–1077.
- Kravchuk, T.M., & Kurochka, O.S. (2013). Primenenie sredstv baleta v fizicheskom vospitanii devochek starsheklassnic [Application of body ballet means in physical education of senior pupils-girls]. *Teoria ta Metodika Fizicnogo Vihovanna*, 4, 40–47.
- Kruevich T. (2012). K voprosu ob effektivnosti sistemy fizicheskogo vospitaniia v obshcheobrazovatel'nykh shkolakh Ukrainy [On the problem of effectiveness of physical education system in Ukrainian comprehensive schools]. *Sportivnij visnik Pridniprov'ia*, 1, 239–243. Retrieved from http://nbuv.gov.ua/UJRN/svp_2012_1_49.

- Kruevich T., & Ishchenko O. (2015). Osoblivosti ocinki fizichnoi pidgotovlenosti pidlitkiv 6–9 klasiv [Specificities of assessment of 6–9 form adolescents' physical fitness]. *Sportivnij visnik Pridniprov'ia*, 1, 25–31. Retrieved from http://nbuv.gov.ua/UJRN/svp_2015_1_6.
- Kruevich T., & Pangelova N. (2014). Racional'na rukhova aktivnist' iak faktor pidvishchennia rozumovoi pracezdatnosti shkoliariv [Rational motor functioning as factor of schoolchildren's mental workability increasing]. *Sportivnij visnik Pridniprov'ia*, 2, 73–76. Retrieved from http://nbuv.gov.ua/UJRN/svp_2014_2_16.
- Krutsevych, T.Y., & Bezverkhnya, G.V. (2010). *Rekreaciia v oblasti fizicheskogo vospitaniia razlichnykh grupp naseleniia* [Recreation in physical education of different population groups]. Kiev: Olympic Literature.
- Lalanne, C., Falissard, B., Golse, B., & Vaivre-Douret, L. (2012). Refining developmental coordination disorder subtyping with multivariate statistical methods. *BMC Medical Research Methodology*, 12(1), 107–111.
- Leer, E.I., & Zvereva, S.V. (2013). Osobennosti vliianiia muzyki raznykh napravlenij na fiziologicheskie kharakteristiki aktivnosti serdca iunoshej i devushek 14–16 let [Specific features of music influence on physiological characteristics of 14–16 years' age boys and girls' heart functioning]. *Molodoj uchenyj*, 1, 310–318.
- Levushkin, S.P., & Son'kin, V.D. (2009). Problema optimizacii fizicheskogo sostoianiia shkol'nikov sredstvami fizicheskogo vospitaniia [Problem of schoolchildren's physical condition optimization by means of physical education]. *Fiziologiia cheloveka*, 35(1), 67–74.
- Liu, Yong, Qiang. (2015). Operative correction of judoists' training loads on the base of on-line monitoring of heart beats rate. *Physical Education of Students*, 2, 13–21. doi:10.15561/20755279.2015.0203
- Lopat' yev, A.O. (2007). Modeliuvannia iak metodologiia piznannia [Simulation as methodology of cognition]. *Teoria ta metodika fizicnogo vihovanna*, 8, 4–10.
- Lulzim, I. (2012). Discriminant analysis of morphologic and motor parameters of athlete and non athlete girl pupils of primary school on age 14 to 15 years. *Research in kinesiology*, 40(2), 185–190.
- Mamaev, A.R., & Ivanova, E.N. (2014). Razvitie dvigatel'nykh kachestv podrostkov v usloviiakh ozdorovitel'nykh kompleksov [Training of adolescents' motor abilities in conditions of health improvement centers]. *Sovremennye issledovaniia social'nykh problem*, 10(42), 76–84.
- Marchenko, S.I. (2009). Simulation of training of quickness in 2–4 forms' pupils by means of outdoor games. *Teoria ta metodika fizicnogo vihovanna*, 10, 10–14. (in Ukrainian)
- Milić, M., Milavić, B., & Grgantov, Z. (2014). Relations between kinesiological engagement, psychological characteristics and types of mobile phone and computer use in adolescents. *Facta Universitatis, Series: Physical Education and Sport*, 2, 191 – 201.
- Milojević, A., & Stanković V. (2010). The development of motor abilities of younger adolescents. *Facta Universitatis*, 8(2), 107–113.
- Piatunina, O.I., & Gajnanova, N.K. (2006). Reakcii serdechno-sosudistoj sistemy na nagruzku u devochek-podrostkov [Reactions of girls teens' cardio-vascular system to load]. *Fizicheskaia kul'tura: vospitanie, obrazovanie, trenirovka*, 3, 14–16.
- Podrigalo, L.V., Iermakov, S.S., Galashko, N.I., Galashko, M.N., & Dzhym, V.Y. (2015). Assessment of arm wrestlers' adaptation status on the base of saliva biochemical characteristics in dynamic of competition and training loads. *Journal of Physical Education and Sport*, 15(4), 849–856.
- Podrigalo, L.V., Iermakov, S.S., Nosko, M.O., Galashko, M.N., & Galashko, N.I. (2015). Study and analysis of armwrestlers' forearm muscles' strength. *Journal of Physical Education and Sport*, 15(3), 531–537.
- Prusik, Krzysztof, Prusik, Katarzyna, Iermakov, S.S., & Kozina Zh.L. (2012). Indexes of physical development, physical preparedness and functional state of polish students. *Pedagogics, Psychology, Medical-Biological Problems of Physical Training and Sports*, 12, 113–122. doi:10.6084/m9.figshare.105467
- Prusik, Krzysztof, Prusik, Katarzyna, Kozina, Zh.L., & Iermakov S.S. (2013). Features of physical development, physical preparedness and functional state of boys and girls – students of Polish higher educational establishments. *Physical Education of Students*, 1, 54–61. doi:10.6084/m9.figshare.96415
- Pryimakov, O.O. (1995). The interrelation of mechanisms regulating postural stability and voluntary precise movement in athletes. [Vzaimozv'iazok mekhanizmiv rehuliuвання stiičnosti pozy ta dovil'noho tochnistnoho rukhu u sportsmeniv.] *Fiziologichnyi Zhurnal (Kiev, Ukraine: 1994)*, 41(3–4), 49–54.
- Rafal, G. (2013). Physical activity and leisure time among 13–15-year-old teenagers living in Biala Podlaska. *Physical Education of Students*, 2, 74–79.
- Rovnaya, O.A., Podrigalo, L.V., Iermakov, S.S., Prusik, Krzysztof, & Cieślicka, Mirosława (2014). Morphological and functional features of synchronous swimming sportswomen of high qualification. *Pedagogics, Psychology, Medical-Biological Problems of Physical Training and Sports*, 4, 45–49. doi:10.6084/m9.figshare.951916
- Samokish, I.I. (2010). Factorial structure of functional capabilities of primary school age girls. *Pedagogics, Psychology, Medical-Biological Problems of Physical Training and Sports*, 1, 105 – 108.
- Shabatura, N.N., Tkachuk, V.G., Fed'ko, V.A., & Palinenko, S.B. (1987). The period of the infradian biorhythms in the intensity of physiological processes in the human body. [Period infradiannykh bioritmov intensivnosti fiziologicheskikh protsessov v organizme cheloveka.] *Fiziologicheskii Zhurnal*, 33(2), 10–

- 15.
- Sokolov, A.Ia., & Grechkina, L.I. (2008). Uroven' fizicheskogo razvitiia u podrostkov g. Magadana s razlichnymi tipami gemodinamiki [Physical condition level of Magadan adolescents with different types of hemo-dynamic]. *Valeologiya*, 4, 12–17.
- Solianik, I.I. (2013). Osobennosti razvitiia dvigatel'nykh sposobnostej u mal'chikov 6–7 klassov [Specific features of motor abilities' development in boys of 6–7 forms]. *Teoria ta Metodika Fizicnogo Vihovanna*, 3, 22–31.
- Tkachenko, S.N. (2014). Health-technology in the classroom with the girls playing football of secondary school age. *Pedagogics, Psychology, Medical-Biological Problems of Physical Training and Sports*, 11, 61–65.
- Tuisheva, V.S., & Ivanenko, O.A. (2015). Fizicheskoe razvitie i fizicheskaia podgotovlennost' devushek 14–16 let, specializiruiushchikhsia v sportivnoj khod'be [Physical condition and physical fitness of 14–16 years' age girls, who specialize in race walking]. *Fizicheskaia kul'tura, sport – nauka i praktika*, 2, 60–63.
- Ujević, T., Sporis, G., Milanović, Z., Pantelić, S., & Neljak, B. (2013). Differences between health-related physical fitness profiles of Croatian children in urban and rural areas. *Coll Antropol.* 37(1), 75–80.
- Veremeienko, V. (2013). Informativni pokazniki rukhovoivoi ta funkcional'noi pidgotovlenosti divchat 6–7 klasiv [Informative indicators of 6–7 form girls' motor and functional fitness]. *Teoria ta metodika fizicnogo vihovanna*, 4, 32–39. doi:10.17309/tmfv.2013.4.1034
- Vertel, A.V., & Gradusov, V.A. (2011). Factor structure of physical training of young volleyball players of 10–14 years old at the stage of initial and previous basic training. *Physical Education of Students*, 1, 25–28.
- Zaporozhanov, V.A. (2013). About reliable indicator of proprioception in agility control. *Pedagogics, Psychology, Medical-Biological Problems of Physical Training and Sports*, 4, 21–25.
- Zaporozhanov, V.A., & Boraczynski, T. (2015). Discussion on the concepts of "coordination" and "agility" in terms of physical education. *Pedagogics, Psychology, Medical-Biological Problems of Physical Training and Sports*, 3, 15–19.
- Zaporozhanov, V.A., Borachinski, T., & Nosko, Y.N. (2015). Assessment of children's potentials in dynamic of initial stage of sport training. *Journal of Physical Education and Sport*, 15(3), 525–530. doi:10.7752/jpes.2015.03079
- Zhang, T., Chen, A., Chen, S., Hong, D., Loflin, J., Ennis, C. (2014). Constructing cardiovascular fitness knowledge in physical education. *European Physical Education Review*, 20(4), 425–443. Available from: 10.1177/1356336X14524865